

CBD Balm Stick 1000

Sample ID: HR20230390056
Strain: CBD Balm Stick 1000
Matrix: Topical
Type: Other
Sample Size: ; Batch:Produced:
Collected: 03/03/2023
Received: 03/03/2023
Completed: 03/07/2023
Batch#: 3046Client
PURE ASA LLC
Lic. #
6586 S Mariposa Ct,
Dublin, CA 94568

Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	03/06/2023	Complete

Cannabinoids

Complete

ND	16.42 mg/g	16.42 mg/g
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD mg/g	LOQ mg/g	Mass %	Mass mg/g	Mass mg/unit	Mass mg/serving
THCa	0.03000	0.08000	ND	ND	ND	
Δ 9-THC	0.02000	0.06000	ND	ND	ND	
Δ 8-THC	0.02000	0.05000	ND	ND	ND	
THCV	0.02000	0.06000	ND	ND	ND	
CBDa	0.01000	0.04000	ND	ND	ND	
CBD	0.02000	0.06000	1.64	16.42	1231.73	
CBDV	0.02000	0.05000	ND	ND	ND	
CBN	0.02000	0.06000	ND	ND	ND	
CBGa	0.04000	0.11000	ND	ND	ND	
CBG	0.02000	0.05000	ND	ND	ND	
CBC	0.02000	0.05000	ND	ND	ND	
CBL	0.02000	0.07000	ND	ND	ND	
Total THC			ND	ND	ND	ND
Total CBD			1.64	16.42	1231.72	
Total			1.64	16.42	1231.72	0.00

1 Unit = g, 75g.

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ 9-THCa * 0.877 + Δ 9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.

Ming Li - General Manager
03/07/2023Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.